

vicinity map

site particulars

Permit For: Change of Use
 Proposed Use: Commercial School & Commercial
 Previous Use: Commercial & Residential
 Municipal : 515 1st Street S.E., Calgary
 Legal: plan C: blk 31: lots 17-20
 Project: North-West Travellers Building
 Scope: Interior Renovations & Alterations
 Land Use Designation: CM-2

Contractor: Tekton Construction Ltd.
 4612 Whitehorn Drive N.E.,
 Calgary, Alberta T1Y 6R6
 (403) 571-0230

Architect: Hallett Architect Ltd.
 #209, 5403 Crowchild Trail N.W.,
 Calgary, Alberta T3B 4Z1
 (403) 247-2404

Owner: North-West Travellers Property Corp.
 300-714 1st Street S.E.,
 Calgary, Alberta T2G 2G8

contractors responsibilities

- The works shall conform to the current edition of the Alberta Building Code and all local bylaws and regulations.
- The General Contractor shall provide all labour, materials, products, equipment, services and all incidentals to complete the works referred to in the specifications and drawings.
- The General Contractor shall visit the site prior to tender and report in writing any discrepancies between the existing and the new work. No extras to the contract are permitted for any difficulties encountered due to any features of the building existing prior to tender.
- The General Contractor shall verify site locations, all dimensions on drawing and shall notify the architect in writing of any errors or omissions prior to commencement of work.
- Unless otherwise noted dimensions are taken to face of framing members or concrete.
- The General Contractor shall ensure that all trades shall install and supply all respective labour & materials in an orderly and timely fashion to complete the intent of the works as shown in these documents.
- The General Contractor shall assume responsibility for laying out work and for any damage to the Owner or others by improper execution of work. Protect all materials and equipment supplied until work is completed and accepted by the Owner. Any such damage which may occur shall be repaired by the General Contractor to the satisfaction of the Architect and the Owner.
- The work shall consist of new work and renovation work as described in architectural, structural, mechanical and electrical documents.
- All work shall be executed in a timely and workman like manner. After completion of the work, all tools, equipment, discarded and unneeded materials shall be removed from the site. The General Contractor shall clean thoroughly all parts of the site which have been worked on for this contract.
- The General Contractor shall ensure that construction insurance is provided for the building during construction and stays in force until possession of the Owner. The insurance must be adequate to provide full replacement should the building be totally or partially destroyed or damaged in any way during construction (including workman's compensation for all on site).
- The General Contractor shall provide all approved shop drawings, marked up as-built drawings, all guarantees, all certificates of testing and final inspection by authorities having jurisdiction over the works to the Owner prior to acceptance of the works.
- The General Contractor shall provide all necessary precautions to protect the adjacent sites from harm or damage during construction process. It is the Contractor's responsibility to hold proper insurance in this regard and in case of damages, the Contractor at his expense, will repair the damaged properties.

REMARKS

Building Permit submission set

North-West Travellers Building

Lots 17-20, Block 31, Plan C

notes

- Do Not Scale Drawings. If dimensions are in question, the contractor shall be responsible for obtaining clarification from the architect before continuing with the construction.
- Contractor shall verify on the site all dimensions and equipment locations and notify the architect promptly, in writing, of any discrepancies.
- Unless otherwise noted or detailed, all pipe chase walls are to be constructed of 63.5mm (2-1/2") metal studs and one layer 15mm (5/8") drywall on both sides behind toilets with 100mm (4") metal studs at sink units. Hold chase walls to minimum dimensions.
- Unless otherwise noted or detailed, provide 150mm (6") metal studs and one layer 15mm (5/8") drywall on both sides behind all janitor sinks.
- Provide chases for mechanical ductwork and plumbing as required. See respective sections.
- All electrical panels, fire extinguisher cabinets, etc., located in rated partitions shall be backed with drywall as required to retain rating.
- Extend all smoke, fire and rated partitions to deck above. Fill all voids as detailed.
- Contractor shall verify mechanical equipment locations and requirements with consultants drawings and coordinate with all the contract documents.
- All piping above grade, inside the building shown on these drawings shall be installed in areas where it will be concealed with the exception of stairways, equipment rooms and powerhouse. Contractor shall coordinate with other trades to provide turning for piping installed in finish areas.
- All casework dimensions shall be field verified before unit fabrication or installation.
- General contractor to review all electrical and mechanical drawings for additional fire rated enclosures, co-ordinate and provide these enclosures for these sub-trades.
- All sizes related to windows such as rough openings, frame sizes, profiles, etc., should be field checked by the contractor prior to fabrication and installation.
- All door hardware used in rated doors is to be rated in accordance with the door fire rating in which it is being installed.
- All dimensions indicated to be confirmed by surveyor and contractor prior to construction commencement. Any discrepancies to be reported to the architect in writing before continuing with the construction.

volume one

architectural

- 1a drawing index
- 2a site plan
- 3a base floor plan: basement
- 4a base floor plan: main
- 5a base floor plan: second
- 6a tenant floor plan: second
- 7a base floor plan: third
- 8a tenant floor plan: third
- 9a base floor plan: fourth
- 10a tenant floor plan: fourth
- 11a entry lobby detail
- 12a floor finish diagram/entry lobby
- 13a stair details
- 14a elevator details
- 15a washroom plan details
- 16a schedules
- 17a
- 18a
- 19a
- 20a
- 21a
- 22a

volume two

<h4 style="text-align: center;">mechanical</h4> <ol style="list-style-type: none"> 1m basement & main floor plans 2m second & third floor plans 3m fourth floor plan & details 4m specifications 5m 6m 7m 8m 9m 10m 11m 12m 13m 14m 15m 16m 17m 18m 19m 20m 	<h4 style="text-align: center;">electrical</h4> <ol style="list-style-type: none"> 1e basement floor plan 2e main floor plan 3e second floor plan 4e third floor plan 5e fourth floor plan 6e specifications & details 7e 8e 9e 10e 11e 12e 13e 14e 15e 16e 17e 18e 19e 20e
---	---

DATE	CODE	REVISIONS ITEM	DRAWN BY	APPROVED BY


CONSULTANT

HALLETT ARCHITECT

ARCHITECTS AND URBAN PLANNERS

STE. 209 CROWCHILD SQUARE
 5403 CROWCHILD TRAIL, N.W.
 CALGARY ALBERTA T3B 4Z1
 PHONE (403) 247-2404

DEVELOPMENT PERMIT SUBMISSION DATE:	CLIENT AUTHORIZATION:	DATE:
BUILDING PERMIT SUBMISSION DATE: 02/13/02	CLIENT AUTHORIZATION: <i>[Signature]</i>	DATE: 2002/02/13
TENDER DOCUMENT RELEASE DATE: 02/13/02	CLIENT AUTHORIZATION: <i>[Signature]</i>	DATE: 2002/02/13
PROJECT:		
North-West Travellers Building 515 1st Street S.E., Calgary, Alberta		
DRAWING:		
Drawing Index SEP 20 2002		
EXAMINED BY: SOUSA KLAMER DATE: OCT 23 2002 BY: 02/13058		DATE: 02-55 PROJECT FILE NO.: DRAWN BY: JBH DRAWING NUMBER: <div style="font-size: 2em; font-weight: bold; text-align: right;">1a</div>



REMARKS

SCALE: 1/8"=1'-0"

No liability is assumed by the architect or engineer for any error or omission which may appear in this drawing or for any damage or injury to persons or property caused by the use of this drawing or for any other cause. The architect or engineer shall not be held responsible for any error or omission which may appear in this drawing or for any damage or injury to persons or property caused by the use of this drawing or for any other cause.

DATE	CODE	REVISIONS (REV)	DRAWN BY	APPROVED BY

HALLETT ARCHITECT
ARCHITECTS AND URBAN PLANNERS

STE. 209 CROWCHILD SQUARE
5403 CROWCHILD TRAIL N.W.,
CALGARY ALBERTA T3B 4Z1
PHONE (403) 247-2404

DEVELOPMENT PERMIT SUBMISSION DATE:	CLIENT AUTHORIZATION:	DATE:
BUILDING PERMIT SUBMISSION DATE: AUG 2 0 2003	CLIENT AUTHORIZATION: [Signature]	DATE: 2003/9/17
SENDER DOCUMENT RELEASE DATE: AUG 2 0 2003	CLIENT AUTHORIZATION: [Signature]	DATE: 2003/9/17


North-West Travelers Building
Calgary, Alberta

Basement Floor Plan

CITY OF CALGARY
PLANNING AND BUILDING DEPARTMENT
BUILDING REGULATIONS DIVISION
FOR CONSTRUCTION SETS ATTACHED
PERMIT CONDITIONS
DATE: OCT 23 2002
EXAMINED BY: SONJA KLAMER
E.A. No. 02/13068



DATE: OCT 23 2002
PROJECT FILE NO: 02-55
DRAWN BY: Wjg
DRAWING NUMBER: **3a**



1st Street S.E.

5th Avenue S.E.

REMARKS

SCALE: 1/8"=1'-0"

This drawing is an instrument of service in the province of Alberta and may only be registered without restriction or other limitation in the province of Alberta. It is the responsibility of the user to ensure that the drawing is used in accordance with the provisions of the Act. This drawing is not to be used for any other purpose without the written consent of the architect.

DATE	CODE	REVISIONS ITEMS	DRAWN BY	APPROVED BY

HALETT ARCHITECT
ARCHITECTS AND URBAN PLANNERS

STE. 209 CROWCHILD SQUARE
5403 CROWCHILD TRAIL N.W.,
CALGARY ALBERTA T3B 4Z1
PHONE (403) 247-2404


DEVELOPMENT PERMIT SUBMISSION DATE:	CLIENT AUTHORIZATION	DATE
BUILDING PERMIT SUBMISSION DATE: AUG 2 6 2002	CLIENT AUTHORIZATION	DATE
TENDER DOCUMENT RELEASE DATE: AUG 2 9 2002	CLIENT AUTHORIZATION	DATE
PROJECT: North-West Travelers Building Calgary, Alberta		

CITY OF CALGARY
PLANNING AND BUILDING DEPARTMENT
BUILDING REGULATIONS DIVISION
FOR CONDITIONS REFERENCED
"PERMIT CONDITIONS"

DATE: OCT 23 2002
DRAWN BY: BOBKA KLAVINS
DRAWING NUMBER: 02/1006P

Main Floor Plan

	DATE: 08.30.02	PROJECT FILE NO: 02-55	DRAWN BY: Wigley
<h1 style="font-size: 48pt; margin: 0;">4a</h1>			



REMARKS

SCALE: 1/8" = 1'-0"

This drawing is a statement of intent to the owners of the project and is not to be used for construction without the approval of the architect. It is the responsibility of the contractor to verify the accuracy of the information shown on this drawing and to ensure that all work is done in accordance with the approved plans and specifications. The contractor shall be responsible for obtaining all necessary permits and for ensuring that all work is done in accordance with the applicable building codes and regulations. The architect shall not be responsible for any errors or omissions in this drawing.

DATE	CODE	REVISIONS (ITEM)	DRAWN BY	APPROVED BY

HALLETT ARCHITECT
ARCHITECTS AND URBAN PLANNERS

STE. 209 CROWCHILD SQUARE
5403 CROWCHILD TRAIL N.W.,
CALGARY ALBERTA T3B 4Z1
PHONE (403) 247-2404


DEVELOPMENT PERMIT SUBMISSION DATE:	CLIENT AUTHORIZATION DATE:	DATE:
BUILDING PERMIT SUBMISSION DATE: AUG 2 0 2002	CLIENT AUTHORIZATION DATE: <i>[Signature]</i> 2002/08/17	DATE: <i>[Signature]</i> 2002/08/17
TENDER DOCUMENT RELEASE DATE: AUG 2 0 2002	CLIENT AUTHORIZATION DATE: <i>[Signature]</i> 2002/08/17	DATE: <i>[Signature]</i> 2002/08/17

PROJECT:
North-West Travelers Building
Calgary, Alberta

DRAWING:
Second Floor Plan

CITY OF CALGARY
PLANNING AND BUILDING DEPARTMENT
BUILDING REGULATIONS DIVISION
FOR CONDITIONS SEE ATTACHED PERMIT CONDITIONS
DATE: OCT 23 2002
DRAWN BY: SONIA KLAMIR
DATE: 08/18/02

DATE: 08.18.02	PROJECT FILE NO: 02-55	DRAWN BY: Wigley
DRAWING NUMBER		
5a		



REMARKS

SCALE: 1/8" = 1'-0"

The drawings are an indication of what is to be done. It is the responsibility of the client to ensure that the drawings are correct and that all necessary permits are obtained. The drawings are not to be used for any other purpose without the written consent of the architect. The drawings are not to be used for any other purpose without the written consent of the architect. The drawings are not to be used for any other purpose without the written consent of the architect.

DATE	CODE	REVISIONS ITEMS	DRAWN BY	APPROVED BY

PROFESSOR
HALLETT ARCHITECT
ARCHITECTS AND URBAN PLANNERS

STE. 209 CROWCHILD SQUARE
5403 CROWCHILD TRAIL N.W.
CALGARY ALBERTA T3B 4Z1
PHONE (403) 247-2404

DEVELOPMENT PERMIT SUBMISSION DATE:	CLIENT AUTHORIZATION DATE:	DATE:
BUILDING PERMIT SUBMISSION DATE: AUG 2 0 2002	CLIENT AUTHORIZATION DATE: <i>11/16/02</i>	DATE: <i>2002/11/17</i>
TENDER DOCUMENT RELEASE DATE: AUG 2 0 2002	CLIENT AUTHORIZATION DATE: <i>11/16/02</i>	DATE: <i>2002/11/17</i>


PROJECT
North-West Travelers Building
Calgary, Alberta

PROPOSED
**Proposed Tenant Floor Plan
Second Floor**

DATE	PROJECT FILE NO.	DRAWN BY
BUILDING DATE: <i>02-55</i>	PROJECT FILE NO. 02-55	DRAWN BY Wijay
DRAWING NUMBER 6a		

CITY OF CALGARY
PLANNING AND DEVELOPMENT DEPARTMENT
BUILDING REGULATIONS DIVISION
1500 CENTENNIAL STREET, 2ND FLOOR
CALGARY, ALBERTA T2C 2E7
DATE: **OCT 23 2002**
DESIGNED BY: *SONAKLADNER*
02/17/02





REMARKS

SCALE: 1/8"=1'-0"

This drawing is an instrument of service to the extent of the contract and may not be reproduced without the written consent of Hallett Architect Architects and Urban Planners. It is not to be used for any other project without the written consent of Hallett Architect Architects and Urban Planners. All dimensions shall be taken from the drawing. Hallett Architect Architects and Urban Planners shall not be responsible for any errors or omissions on the drawing. Hallett Architect Architects and Urban Planners shall not be responsible for any errors or omissions on the drawing. Hallett Architect Architects and Urban Planners shall not be responsible for any errors or omissions on the drawing. Hallett Architect Architects and Urban Planners shall not be responsible for any errors or omissions on the drawing.


DATE	CODE	REVISIONS ITEMS	DRAWN BY	APPROVED BY

FOR CONSULTANT
HALLETT ARCHITECT
 ARCHITECTS AND URBAN PLANNERS
 STE. 209 CROWCHILD SQUARE
 5403 CROWCHILD TRAIL N.W.,
 CALGARY ALBERTA T3B 4Z1
 PHONE (403) 247-2404

DEVELOPMENT PERMIT SUBMISSION DATE:	CLIENT AUTHORIZATION	DATE
BUILDING PERMIT SUBMISSION DATE: AUG 29 2002	CLIENT AUTHORIZATION	DATE: 2002/11/19
TENDER DOCUMENT RELEASE DATE: AUG 29 2002	CLIENT AUTHORIZATION	DATE: 2002/11/19
PROJECT North-West Travelers Building Calgary, Alberta		

DRAWING Third Floor Plan			
SCALE	DATE	PROJECT FILE NO.	ISSUED BY
	BUILDING	02-55	Wigley
			7a

CITY OF CALGARY
 PLANNING AND BUILDING DEPARTMENT
 BUILDING REGULATIONS DIVISION
 RECEIVED AND SET ASHED
 "REVIEW" COMPLETE
 DATE: OCT 23 2002
 EXAMINED BY: SONIA BLANKER
 02/13068



REMARKS

SCALE: 1/8"=1'-0"

This drawing is an instrument of service in the province of Alberta and any use of the instrument without the signature and official seal of the architect is prohibited. All drawings are the property of the architect and shall not be used for any other project without the written consent of the architect. Where necessary, the architect shall be notified in writing of any changes to the drawing. The architect shall be notified in writing of any changes to the drawing. The architect shall be notified in writing of any changes to the drawing.

DATE	CODE	REVISIONS ITEMS	DRAWN BY	APPROVED BY

HALLETT ARCHITECT
ARCHITECTS AND URBAN PLANNERS

STE. 209 CROWCHILD SQUARE
5403 CROWCHILD TRAIL N.W.
CALGARY ALBERTA T3B 4Z1
PHONE (403) 247-2404

DEVELOPMENT PERMIT SUBMISSION DATE:	CLIENT AUTHORIZATION DATE:
BUILDING PERMIT SUBMISSION DATE: AUG 28 2001	CLIENT AUTHORIZATION DATE: 10/15/01
TENDER DOCUMENT RELEASE DATE: AUG 27 1999	CLIENT AUTHORIZATION DATE: 10/15/01

PROJECT
North-West Travelers Building
Calgary, Alberta


DRAWING
**Proposed Tenant Floor Plan
Third Floor**

CITY OF CALGARY
PLANNING AND POLICY DEVELOPMENT
BUILDING REGULATIONS DIVISION
FOR CONSULTATION ONLY - NOT FOR CONSTRUCTION
DATE: OCT 23 2002
EXAMINED BY: SONIA KRAMER
S.P. 02/12/02

DATE	PROJECT FILE NO.	DRAWN BY
02/02	02-55	Wigley



8a



REMARKS

- Notes:**
1. Remove existing fire escape landings as required.
 2. Install new stairs.
 3. Repair & make good.
 4. Existing metal fire escape entrance & landings to remain as a non-removable feature only. **NOT TO BE USED AS FIRE ESCAPE.**
 5. Contractor to ensure stair & landings properly & securely attached to existing floors on all floors.

SCALE: 1/8"=1'-0"

This drawing is an electronic file and is the property of the architect and may not be reproduced without the permission of the architect. All rights reserved. If you are not the architect, please do not use this drawing without the written permission of the architect. Other drawings and any information or data contained herein shall not be used for any purpose other than that intended by the architect. The architect shall not be responsible for any errors or omissions in this drawing. The architect shall not be responsible for any errors or omissions in this drawing. The architect shall not be responsible for any errors or omissions in this drawing.

DATE	CODE	REVISIONS ITEMS	DRAWN BY	APPROVED BY

HALLETT ARCHITECT ARCHITECTS AND URBAN PLANNERS

STE. 209 CROWCHILD SQUARE
 5403 CROWCHILD TRAIL N.W.
 CALGARY ALBERTA T3B 4Z1
 PHONE (403) 247-2404


DEVELOPMENT PERMIT SUBMISSION DATE: _____	CLIENT AUTHORIZATION DATE: _____
BUILDING PERMIT SUBMISSION DATE: AUG 7 @ 2002	CLIENT AUTHORIZATION DATE: <i>2002/10/19</i>
TENDER DOCUMENT RELEASE DATE: AUG 2 @ 2002	CLIENT AUTHORIZATION DATE: <i>2002/10/19</i>

PROJECT: **North-West Travelers Building**
 Calgary, Alberta

DRAWING: **Fourth Floor Plan**

CITY OF CALGARY
 PLANNING AND ELECTRICITY DEVELOPMENT
 BUILDING REGULATIONS DIVISION
 FOR INFORMATION USE ONLY
 DATE: **OCT 23 2002**
 EXAMINED BY: **SCARLA ISLAMER**
 S.E. No: *02/1306P*

	DATE: 2002	PROJECT FILE NO: 02-55	DRAWN BY: Wijoy
	DRAWING NUMBER: 9a		



REMARKS

SCALE: 1/8"=1'-0"

This drawing is an integral part of the contract and shall be kept on file by the contractor and shall be used as the basis for construction. It shall not be altered, modified, or changed in any way without the written consent of the architect. The contractor shall be responsible for obtaining all necessary permits and for obtaining all approvals from the appropriate authorities. The architect shall not be held responsible for any errors or omissions on the drawing. The architect shall not be held responsible for any damage to the building or its contents.

DATE	CODE	REVISIONS ITEMS	DRAWN BY	APPROVED BY

CONSULTANT
HALLETT ARCHITECTS
ARCHITECTS AND URBAN PLANNERS

STE. 209 CROWCHILD SQUARE
5403 CROWCHILD TRAIL N.W.,
CALGARY ALBERTA T3B 4Z1
PHONE (403) 247-2404


DEVELOPMENT PERMIT SUBMISSION DATE:	CLIENT AUTHORIZATION	DATE
BUILDING PERMIT SUBMISSION DATE: AUG 20 2002	CLIENT AUTHORIZATION <i>[Signature]</i>	DATE 2002/11/17
TENDER DOCUMENT RELEASE DATE: AUG 20 2002	CLIENT AUTHORIZATION <i>[Signature]</i>	DATE 2002/11/19

PROJECT
North-West Travelers Building
Calgary, Alberta

DRAWING
Proposed Tenant Floor Plan
Fourth Floor Plan

CITY OF CALGARY
PLANNING AND BUILDING DEPARTMENT
BUILDING REGULATIONS DIVISION
FOR CONSULTATION ONLY - NOT TO BE USED FOR CONSTRUCTION
DATE: OCT 23 2002
DRAWN BY: SCHWABER
CHECKED BY: SCHWABER

SEALED	DATE	PROJECT FILE NO.	DRAWN BY
	2002	02-55	Wigley
DRAWING NUMBER			10a



Existing Main Floor Entry

Proposed Main Floor Entry

REMARKS

SCALE: 1/2"=1'-0"

The drawings are a representation of the proposed work and are not intended to be used for any other purpose without the written consent of the architect. The architect shall not be responsible for any errors or omissions in the drawings or for any consequences arising therefrom. The contractor shall be responsible for obtaining all necessary permits and for complying with all applicable laws, codes, and regulations. The architect shall not be responsible for any delays or interruptions in the construction process.

DATE	CODE	REVISIONS ITEMS	DRAWN BY	APPROVED BY

**HALLETT ARCHITECT
ARCHITECTS AND URBAN PLANNERS**

STE. 309 CROWCHILD SQUARE
5403 CROWCHILD TRAIL, N.W.,
CALGARY ALBERTA T3B 4Z1
PHONE (403) 247-2404

DEVELOPMENT PERMIT SUBMISSION DATE:	CLIENT AUTHORIZATION DATE:
BUILDING PERMIT SUBMISSION DATE: AUG 28 2002	CLIENT AUTHORIZATION DATE: <i>[Signature]</i> 10/24/02
TENDER DOCUMENT RELEASE DATE: AUG 27 2002	CLIENT AUTHORIZATION DATE: <i>[Signature]</i> 10/24/02

PROJECT: **North-West Travelers Building**
Calgary, Alberta


Entry Lobby Details

CITY OF CALGARY
PLANNING AND BUILDING DEPARTMENT
BUILDING REGULATIONS DIVISION
HOW TO OBTAIN PERMITS
OCT 23 2002
EMPLOYED BY: ECKHA KLAMER




DATE: 02-55	PROJECT FILE NO.:	DRAWN BY: Wiley
DRAWING NUMBER:		

11a



Existing Main Floor Entry

Proposed Main Floor Entry
Floor Finishes



Typical Tread Detail

REMARKS

SCALE: 1/2"=1'-0"

The client is to be advised of errors in the contract and any other matters which may affect the project. It is the responsibility of the client to ensure that the contract is complete and correct. The architect shall not be responsible for any errors or omissions in the contract. The architect shall not be responsible for any errors or omissions in the contract.

DATE	CODE	REVISIONS	APPROVED BY

HALLETT ARCHITECT
ARCHITECTS AND URBAN PLANNERS

STE. 209 CROWCHILD SQUARE
5403 CROWCHILD TRAIL N.W.,
CALGARY ALBERTA T3B 4Z1
PHONE (403) 247-2404

DEVELOPMENT PERMIT	CLIENT AUTHORIZATION	DATE
SUBMISSION DATE:		
BUILDING PERMIT	CLIENT AUTHORIZATION	DATE
SUBMISSION DATE: AUG 2 0 2002		2002/08/17
TENDER DOCUMENT	CLIENT AUTHORIZATION	DATE
RELEASE DATE: AUG 2 0 2002		2002/08/17

PROJECT
North-West Travelers Building
Calgary, Alberta





ENTRY LOBBY DETAILS
Floor Finishes

DATE	PROJECT FILE NO.	DRAWN BY
2002	02-55	Wjey



12a

CITY OF CALGARY
PLANNING AND BUILDINGS DEPARTMENT
BUILDING REGULATIONS DIVISION
FOR CONSTRUCTION USE ATTACHED
PERMITS ONLY
OCT 23 2002
DONALD KLAMER
02/1306P



REMARKS

SCALE: 1/2"=1'-0"

The drawings are an indication of a project to be completed. The architect and engineer shall be responsible for all conditions or effects that may result from the construction of the project. The drawings do not constitute a contract and shall be read in conjunction with the contract documents. The drawings shall be used for the project only and shall not be used for any other purpose without the written consent of the architect and engineer. The drawings shall be used for the project only and shall not be used for any other purpose without the written consent of the architect and engineer.

DATE	CODE	REVISIONS ITEMS	DRAWN BY	APPROVED BY

HALLETT ARCHITECT
ARCHITECTS AND URBAN PLANNERS
 STE. 209 CROWCHILD SQUARE
 5403 CROWCHILD TRAIL N.W.
 CALGARY ALBERTA T3B 4Z1
 PHONE (403) 247.2404

DEVELOPMENT PERMIT SUBMISSION DATE:	CLIENT AUTHORIZATION DATE:
BUILDING PERMIT SUBMISSION DATE: AUG 28 2012	CLIENT AUTHORIZATION DATE: 11/16/11
TENDER DOCUMENT RELEASE DATE: 10/28/11	CLIENT AUTHORIZATION DATE: 11/16/11
PROJECT North-West Travelers Building Calgary, Alberta	

DRAWING: **Front Stair Plans & Details**
 DATE: 02-55
 PROJECT FILE NO: Wjey
 DRAWING NUMBER: **13a**

CITY OF CALGARY
 PLANNING AND BUILDING DEPARTMENT
 BUILDING REGULATIONS DIVISION
 NON-CONVENTIONAL FIRE ALARMS
 "STAY PUT" CONDITION
 OCT 23 2012
 APPROVED BY: SCOTT KRAMER
 DATE: 02/13/12





076-200 (12/85) DM

CARRIAGE MEMBERS
 CROSSSECTIONS 4-2-5/32" (102.514mm)
 UPRIGHTS 8 3/4" (219.212/214/16" (140.641mm)
 PLANKS 8 5/8" (214.314" (203.705mm)


NOTE: HOISTWAY FASCIA IS NOT SELF-SUPPORTING FOR LONG CONTINUOUS RUNS VOID OF ENTRANCES. ADEQUATE SUPPORT FOR THE FASCIA MUST BE PROVIDED BY OTHERS.

NOTE B:
 RAIL BRACKET SUPPORT REQ'D.
 WITHIN 6" (152mm) OF THIS DIM.

STEEL SAFETY BEAM FOR A MINIMUM
 NET LINE LOAD OF 7500# (340KG)
 (NOT BY OTIS)




ALL CUTOUTS 3-7/8"(98.5)-1/4"(7.146) U.N.O.
HALL FIXTURE CUTOUT DETAIL
 1 HALL FIXTURE @ ALL FLOORS.
 2 ACCESS KEY SWITCH @ FLOOR "X".
 3 HALL POSITION INDICATOR @ FLOOR "X".




DETAIL "A"
 ADEQUATE SUPPORT AT ALL FASTENING POINTS OF ENTRANCE ASSEMBLY REQUIRED. MUST WITHSTAND A HORIZONTAL PULL-OUT FORCE OF 1400 LBS (630 N) @ EA. FASTENING POINT (8 @ EA. ENTRANCE), INCLUDING SUPPORT FOR CENTER SILL SUPPORT BRACKET. (NOT BY OTIS).
 NOTE: IF ENTRANCE WALLS ARE NOT LOAD BEARING, THEY MUST NOT BE CONSTRUCTED UNTIL AFTER THE FRAMES & SILLS ARE INSTALLED. IF ENTRANCE WALLS ARE LOAD BEARING, THEY COORDINATE WITH OTIS CONSTRUCTION SUPERINTENDENT.

FLOOR	APERT. 1" x 7"	WALL THICKNESS (mm)
B /	M1 /	8.00 (204) / 0.00 (0)
M /	M1 /	8.00 (204) / 0.00 (0)
2 /	M1 /	8.00 (204) / 0.00 (0)
3 /	M1 /	8.00 (204) / 0.00 (0)
4 /	M1 /	8.00 (204) / 0.00 (0)


NOTE: HEIGHT FROM PIT BOTTOM TO UNDERSIDE OF BUFFER STRIKE PLATE WITH CAR RESTING ON COMPRESSED BUFFER = 24.87' (662mm)



NOTE - DO NOT SCALE THIS DRAWING



WHENEVER POSSIBLE MAINTAIN A 4" MINIMUM CLEARANCE BETWEEN TANK AND MACHINE ROOM WALLS.
MACHINE ROOM PLAN
 MACHINE ROOM LOCATED @ 2ND FLOOR WITH A CLEAR CEILING HEIGHT OF NOT LESS THAN 7'6" (2286mm) & A VENT PROVIDED FOR A HEAT RELEASE OF 11,450 BTU/HRS (3369 WATTS) ESTIMATED AMOUNT OF TANK OIL FROM PUMPING REQUIRED 204.0007 PIPES @ 7" CLBSING 5182'



PLAN VIEW
 ALL DIMENSIONS IN INCHES & MILLIMETERS U.N.O. LVM 2500 E

REFER TO DWG'S NO.

REVISIONS		REMARKS	

CONTRACT DATA (PER CAR)

MACHINE	7530 V
MOTOR - HP/AMPS	30/21.75
TANK CAPACITY - GAL/L	85 / 315
CONTROL	211 - 3H
PLATFORM - TYPE	AAA00000
CARRIAGE - TYPE	AAA00000
RAIL SIZE - LB/KG (1")	#1-1/2 @ 12 / 5.5
BUFFERS STRIKES (LxWxH)	4-25 / 108
TOTAL OIL - GAL / L	120 / 455
PLUNGER PIECES REQ'D	
COIL HOSE SIZE - TYPE	1/2-10mm - 5/16"
WATER SUPPLY	8000 / 27200 G
HOSE ROPE (LxWxH) - TYPE	10 - 10mm - 5/16" - 800
LOW PER HOSE	6048 / 2280 G
ULTRAMOUNT COMPONENT	170008 / 58000 G
MOVABLE HOIST ROPE LENGTH	6481 / 192000"

ESTIMATED WEIGHTS (LB/KG)

TOTAL CAR & ENCLOSURE	2245 / 1015
SOIL	3500 / 1575
PLUNGER & SHAFT ASSY	500 / 225
LOAD ON SAFETY	4800 / 2160

POWER: 208-240 V 3-PH 4-W 60-HZ LIGHT 120-V
 DATA REQUIRED BY CAN-USA-B44-M94
 WORKING PRESSURE: P50/K50A = 489 / 3441 (FILL LOAD UP)
 ITEM NUMERICAL SIZE (IN/MM) WALL THICKNESS (IN/MM)

PLUNGER	---	3/8" / 10.0 (25.4)	0.287 / 7.29 (2.0)
HOSE	---	5/8" / 16.0 (40.6)	0.240 / 6.10 (1.6)
PIPE	---	2" / 50.8	0.154 / 3.91 (1.0)

SCALE: as noted

IMPORTANT NOTES, GENERAL REQUIREMENTS BY OTHERS

- PROPERLY FRAMED & ENCLOSED LEGAL HOISTWAY INCLUDING VENTING AS REQUIRED BY THE GOVERNING CODE, AND SAFETY BEAM AS SHOWN.
- REQUIRE SUPPORT FOR LEGAL RAIL FASTENING FROM FLOOR TO TOP OF SECTION WITHIN THE MAX. VERT. SPACING SHOWN ON THESE DWGS. SEPARATE DRAWING REQUIRED.
- PROVISIONS FOR GUARDING & PROTECTING THE HOISTWAY DURING CONSTRUCTION TO BE DETECTED, MANAGED & REMOVED BY CONTRACTOR.
- ALL CUTTING OR FINISHING BY ACCORDANCE ELEVATOR INSTALLATION.
- HOISTWAY WALLS ARE TO BE DESIGNED & CONSTRUCTED IN ACCORDANCE WITH THE REQUIRED RISE RATING ACCORDING WHERE INSTALLED BY ELEVATOR FRAME, AND TO BE REINFORCED ADEQUATELY TO WITHSTAND (NOMINAL) ABOVE THE CLEAR OPENING OF EACH LANDING TO SUPPORT THE LOAD FROM EXISTING HOISTWAY WALLS. THE FINISHED FLOOR MUST NOT BE CONSTRUCTED UNTIL THE FRAMES AND SILLS ARE SET.
- FLOOR FINISHED OR FINISHED CONCRETE WALLS, PROVIDE THE MINIMUM ROOM SPACING FOR HOISTWAY AS SHOWN ON THESE DWGS. AND AN OVERHUNG AROUND ENTRANCE FRAME IF REQUIRED.
- STAIRWELL MACHINE ROOM WITH LEGAL ACCESS AT MINIMUM HEIGHT OF 7'6" (2286mm) IS PROVIDED MACHINE ROOM SEPARATIONS MAINTAINED BETWEEN PIT & LEGAL ACCESS TO BE REINFORCED ADEQUATELY TO WITHSTAND NON-COMPRESSIVE TENSILE STRESS AND AIR CONDITIONING REQUIRMENTS. OTHER THAN THESE DRAWINGS REFER TO OTHER CONTRACTORS OF OTHER SUPPLY CONTRACTOR.
- SUITABLE LIGHT & CONVENIENCE OUTLETS, WITH OTIS, IN THE MACHINE ROOM WITH LIGHT SWITCH ADJACENT TO THE PIT LADDER.
- FOR EACH ELEVATOR, A THREE PHASE J BOX HOSE SUPPLY WITH A SEPARATE ELECTRICAL GROUNDING CONDUCTOR AND A SINGLE PHASE 120 VOLT BREAKER, WIRED TO EACH CONTROLLER.
- IN THE PIT, A SEPARATE BRANCH CIRCUIT FOR CONVENIENCE OUTLET & LIGHT FIXTURE WITH LIGHT SWITCH ADJACENT TO THE PIT LADDER.
- ALL ELECTRIC POWER FOR SIGNALS, LIGHT, HOIST, ETC. DURING ELEVATION AS WELL AS ELECTRIC CURRENT FOR STARTING AND STOPPING THE ELEVATOR.
- DO NOT ATTEMPT TO SUSPEND VERTICAL FORCE, THERMAL LOADS OTHER THAN THESE DWGS. INCLUDE ALLOWANCE FOR IMPACT (EXCEPT AS NOTED) ON THE ACCUMULATION OF WATER MUST BE PROVIDED.
- A LINED METAL STEEL LADDER TO PIT OPENING 4'0" (1219mm) ABOVE RAIL AND BOTTOM TORQUE AT LOCATED IN THE PLAN VIEW. LADDER MUST BE PROTECTED FROM RAIL AND SILL (SEE NOTE 15).
- IF FLOOR FINISHING, COVERS AND BUFFERS TO BE SET AND LEVEL WITH 1/8" (3mm) FULL WIDTH OF HOISTWAY CUTOUTS AND PARINGS OF FLOOR NOT BY OTIS.
- ELEVATOR CAR FLOORING MUST NOT EXCEED A FINISH OF 5/16" (8mm).
- ONE (1) SEPARATE HOISTWAY REPAIRS, HOISTWAY MACHINE ROOM MUST BE PROVIDED TO ELEVATOR CONSTRUCTION TO PUMP COMPRESSOR. HOISTWAY REPAIRS IN CONGRESS.
- ALL 1/2" DIA. 15-20 AMP. SINGLE PHASE RECEPTACLES INSTALLED IN PIT, MACHINE ROOM, OR MACHINERY SPACES SHALL HAVE GROUNDING (GFCI) INTERMEDIATE (IF GFCI) PROTECTED. (SEE NOTE 15).
- NOTE: A 1/2" (12.7mm) DIA. (150-150mm) OUTLET LOCATED @ 2'0" (610mm) AND 1/2" DIA. (12.7mm) HOISTWAY MACHINE ROOM FLOOR (CONVENIENT FROM PIT) FLOOR TO BOTTOM OF CUTOUTS.

CLIENT: North-West Travelers Building
 Calgary, Alberta

PROJECT: North-West Travelers Building
 Calgary, Alberta

DESIGNED: Elevator Details as supplied by Otis Elevator
 DRAWN: WJW


DATE: 02-55
 PROJECT FILE NO.

DATE: OCT 23 2002
 DRAWN BY: David Ray


DATE: 02/15/02
 CHECKED BY: DONNA KLAMMER

INSTALLATION DWG. NO. 468043 - PN


14a




Second Floor Plan
Mens & Womens Washroom Plan



Third Floor Plan
Mens & Womens Washroom Plan



Fourth Floor Plan
Mens & Womens Washroom Plan



Basement Floor Plan
Mens & Womens Handicap Washroom Plan

REMARKS

SCALE: 1/4"=1'-0"

The drawing is an integral part of the contract and shall not be separated therefrom in whole or in part for any purpose whatsoever. The Contractor shall be responsible for obtaining all necessary permits and approvals for the work shown herein. The Contractor shall be responsible for obtaining all necessary permits and approvals for the work shown herein. The Contractor shall be responsible for obtaining all necessary permits and approvals for the work shown herein.

DATE	CODE	REVISIONS	ITEMS	DRAWN BY	APPROVED BY

**HALLETT ARCHITECT
ARCHITECTS AND URBAN PLANNERS**

STE. 209 CROWCHILD SQUARE
5403 CROWCHILD TRAIL N.W.,
CALGARY ALBERTA T3B 4Z1
PHONE (403) 247-2404

DEVELOPMENT PERMIT SUBMISSION DATE:	CLIENT AUTHORIZATION DATE:
BUILDING PERMIT SUBMISSION DATE: AUG 2 0 2007	CLIENT AUTHORIZATION DATE: <i>2007/08/19</i>
PERMIT DOCUMENT RELEASE DATE: AUG 2 0 2007	PERMIT DOCUMENT RELEASE DATE: <i>2007/08/19</i>

North-West Travelers Building
Calgary, Alberta

**Mens & Womens Washrooms
Plans**

SCALE:	DATE:	PROJECT FILE NO:	DRAWN BY:
02-55	02-55	02-55	<i>Wjg</i>

CITY OF CALGARY
PLANNING AND SERVICES DEPARTMENT
BUILDING REGULATIONS DIVISION
FOR CONDITIONS SEE ATTACHED
"YIELD" CONDITIONS
DATE: **OCT 23 2002**
DRAWN BY: SONJA KLAMMER



15a

201/3002

finish and toilet accessory		remarks	
Finish Legend			
FLOOR A. CARPET B. VINYL (VCT) C. SHEET VINYL D. EPOXY PAINT E. QUARRY TILE F. BRICK PAVERS G. WOOD H. CONCRETE SEALER I. RUBBER J. CERAMIC TILE K. SPECIAL BLACK SLATE	BASE A. CARPET B. RUBBER (4") C. QUARRY TILE D. CERAMIC TILE E. BRICK F. TERRAZZO G. WOOD H. PAINT I. PLASTIC LAMINATE J. VINYL COVE (2 1/2") K. SPECIAL 1" SLATE 6" high	WALLS A. VINYL B. CERAMIC TILE C. BRICK D. PAINT E. PANELING F. PLASTER G. PLASTER H. PAPER I. GLAZING (tempered) J. SPECIAL: BLACK SLATE K. L.	CEILING A. DRYWALL B. FLASTER C. CERAMIC TILE D. EXT. DRYWALL E. STUCCO F. WOOD G. SPRAY ACOUSTIC H. EPOXY I. PAINT J. METAL K. T-BAR/TILE L. SPECIAL:

Toilet Accessory Legend		remarks
A. RECESSED PAPER TOWEL DISPENSER, MIRROR, SHELF, LIGHT WITH SWITCH B. RECESSED PAPER TOWEL DISPENSER C. SURFACE MOUNTED PAPER TOWEL DISPENSER D. SURFACE MOUNTED TOILET PAPER HOLDER E. SINGLE ROBE HOOK F. SHOWER CURTAIN ROD G. SHELVES H. GRAB BARS I. RECESSED GARBAGE CAN J. MIRROR K. SOAP DISPENSER L. SURFACE MOUNTED MEDICINE CABINET M. RECESSED MEDICINE CABINET N. TOWEL BAR	In Lavatories: (B 05), (B 06) contractor is to provide: C,D,H,I,J,K,K	

notes:	
For all lavatory rooms: (201), (204), (301), (303), (401), (403) contractor is to provide: C,D,I,J,K. provide and install: sink vanity millwork with granite countertops. Bullnose edge with 6" granite backplash.	

REMARKS

- Final shop drawings are required for approval from architect for all windows, doors, and door frames (finish according to finish schedule).
- All work to be carried out by licensed and qualified trades people.
- All walls facing tenant space to be properly finished and prime coated with approved paint.

finish schedule

Number	SPACE Name	FLOOR Material	BASE Material	WALLS North Material	WALLS South Material	WALLS East Material	WALLS West Material	CLG Material	Accessories Ref No.	REMARKS
B00	Elevator	B								Coating and walls as per OTH design package
B01	Corridor & Stairs	K	G	D	D	D	D	A1		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
B02	Elevator Equipment	D	B	D	D	D	D	I		
B03	Electrical Room	D	B	D	D	D	D	I		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
B04	Sprinkler & Water Meter	D	B	D	D	D	D	I		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
B05	Mens HC Washroom	K	K	J/D	J/D	J/D	J/D	A1		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
B06	Ladies HC Washroom	K	K	J/D	J/D	J/D	J/D	A1		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
B07	Mechanical	D	B	D	D	D	D	I		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
B08	Hallway	D	B	D	D	D	D	I		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
B09	Stairs & Vestibule	I	B	D	D	D	D	A1		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
B10	Mechanical	D	B	D	D	D	D	I		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
B11	Mechanical	D	B	D	D	D	D	I		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
100	Stairs & Vestibule	K	G	D	D	D	D	I		Black Stone tiles 18" square. Bullnose edge on all walls. Provide nosing at all thresholds.
101	Lobby	K	G	I	D	I	D	A1		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
102	Vestibule	K	G	I	D	I	D	A1		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
103	Vestibule	K	G	D	D	D	D	A1		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
104	Fire Stairs	I	B	D	D	D	D	I		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
105	Mechanical Duct Shaft									Provide 1 hour fire rated assembly, full height.
200	Stairs & Corridor	K	G	D	D	D	D	I		Black Stone tiles 18" square. Bullnose edge on all walls. Provide nosing at all thresholds.
201	Ladies Washroom	K	K	J/D	J/D	J/D	J/D	A1		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
202	Janitor's Closet	B	B	D	D	D	D	A1		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
203	Mechanical Duct Shaft									Provide 1 hour fire rated assembly, full height.
204	Men's Washroom	K	K	J/D	J/D	J/D	J/D	A1		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
205	Fire Stairs	I	B	D	D	D	D	I		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
300	Stairs & Corridor	K	G	D	D	D	D	I		Black Stone tiles 18" square. Bullnose edge on all walls. Provide nosing at all thresholds.
301	Ladies Washroom	K	K	J/D	J/D	J/D	J/D	A1		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
302	Mechanical Duct Shaft									Provide 1 hour fire rated assembly, full height.
303	Men's Washroom	K	K	J/D	J/D	J/D	J/D	A1		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
304	Fire Stairs	I	B	D	D	D	D	I		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
400	Stairs & Vestibule	K	G	D	D	D	D	I		Black Stone tiles 18" square. Bullnose edge on all walls. Provide nosing at all thresholds.
401	Ladies Washroom	K	K	J/D	J/D	J/D	J/D	A1		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
402	Mechanical Duct Shaft									Provide 1 hour fire rated assembly, full height.
403	Men's Washroom	K	K	J/D	J/D	J/D	J/D	A1		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.
404	Fire Stairs	I	B	D	D	D	D	I		Walls in this room to maintain a 1 hour fire rated assembly. Ceiling to maintain a 1 hour fire rated assembly.

hardware		door schedule	
----------	--	---------------	--

Hardware Set No.		Door Schedule								
DOOR SYMBOL	DOOR	FRAME	HARDWARE							
Space	Mark	Width	Height							
B01	B01	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
B02	B02	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
B03	B03	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
B04	B04	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
B05	B05	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
B06	B06	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
B07	B07	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
B08	B08	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
B09	B09	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
B10	B10	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
B11	B11	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
100	100	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
101	101	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
102	102	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
103	103	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
104	104	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
105	105	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
200	200	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
201	201	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
202	202	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
203	203	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
204	204	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
205	205	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
300	300	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
301	301	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
302	302	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
303	303	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
304	304	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
400	400	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
401	401	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
402	402	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
403	403	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	
404	404	3'-0"	8'-0"	STL	HMD	W	P5F	1	NF	

Door Remarks
 A. INSULATED
 B. PAINT GRADE
 C. PREFINISHED

remarks	
---------	--

SCALE: not to scale

DATE	CODE	REVISIONS (ITEM)	DRAWN BY	APPROVED BY

CONSULTANT
HALLETT ARCHITECT
ARCHITECTS AND URBAN PLANNERS
 STE. 209 CROWCHILD SQUARE
 5403 CROWCHILD TRAIL N.W.
 CALGARY ALBERTA T3B 4Z1
 PHONE (403) 247-2404

DEVELOPER/PERMIT SUBMISSION DATE:	CLIENT AUTHORIZATION:	DATE:
BUILDING PERMIT SUBMISSION DATE:	CLIENT AUTHORIZATION:	DATE:
Aug 2 8 2002	<i>[Signature]</i>	2002/8/2
TENDER DOCUMENT RELEASE DATE:	CLIENT AUTHORIZATION:	DATE:
Aug 2 8 2002	<i>[Signature]</i>	2002/8/2

Project
North-West Travellers Building
 515 1st Street S.E., Calgary, Alberta

DRAWING
Construction Schedules

DEAL: DATE: 08/20/02 PROJECT FILE NO: 02-55 DRAWN BY: JGH
 DRAWING NUMBER: **16a**

10 OCT 23 2002
 HANDED IN: COLMAN, JAVIER
 08/13/02